



## Item Overview

Item#: 29B3184-1

Model: [AWS2512ZKZXF](#)

Condensing Unit Type: Indoor - Air Cooled

Brand/Family: AW

Application: LBP - Low Back Pressure

Refrigerant: R-404A/R-407A/R-448A/R-449A/R-452A

Voltage/Frequency: 220V 3~ 60Hz

Compressor Type: Reciprocating

Coil Type: Tube - Fin

## Specifications

Dimensions - Height:	19.5
Dimensions - Width:	33.5
Dimensions - Length:	25
Dimensions Unit of Measure:	IN
Discharge Line Size:	3/8_IN
Suction Line Size:	7/8_IN
Air Flow:	1550 Cubic Feet per Minute
Fan Motor Quantity:	2
Pump Down Capacity:	18.47 Pounds
Design Pressure Low:	181
Design Pressure High:	450
Fan Motor RLA:	.7
Max. Fuse Size:	20
Min. Circuit Ampacity:	14.4
Fan Motor:	<input checked="" type="checkbox"/>
Crankcase Heater:	<input checked="" type="checkbox"/>
Accumulator:	<input checked="" type="checkbox"/>
Liquid Filter:	<input checked="" type="checkbox"/>
Defrost Timer:	<input checked="" type="checkbox"/>
Filter Drier:	<input checked="" type="checkbox"/>
Receiver:	<input checked="" type="checkbox"/>

## Replacement Parts

*Are you a European Customer? Please use the TParts Finder Tool for the most accurate, up-to-date replacement parts information.*

[Go TO TParts](#)

<b>Compressor:</b>	<b>AW459SH-419-J7</b>
<b>Contact Kit:</b>	<b>CTK-03</b>
<b>Fan Motor:</b>	<b>810F050C20C</b>
<b>Fan Blade:</b>	<b>51568-1</b>
<b>High Pressure Switch:</b>	<b>84095-2</b>
<b>Low Pressure Control:</b>	<b>84026-2</b>
<b>Condenser Kit:</b>	<b>K42-17</b>
<b>Receiver:</b>	<b>51082-1</b>
<b>Accumulator:</b>	<b>TK00042000</b>
<b>Defrost Timer:</b>	<b>84110</b>
<b>Crankcase Heater:</b>	<b>91022-1</b>

## Documents

[Sales Drawing \(EN\)](#)  
[Technical Data Sheet \(EN\)](#)