



Item Overview

Item#: 2A1185-1 (Inactive)

Model: [AKA9470EXDXC](#)

Condensing Unit Type: Indoor - Air Cooled

Brand/Family: AK

Application: CBP - Commercial Back Pressure

Refrigerant: R-22

Voltage/Frequency: 208-230V ~ 60Hz

Compressor Type: Reciprocating

Coil Type: Tube - Fin

Specifications

Dimensions - Height:	14
Dimensions - Width:	18
Dimensions - Length:	24.3
Dimensions Unit of Measure:	IN
Discharge Line Size:	3/8 Inch Flare
Suction Line Size:	1/2 Inch Flare
Run Capacitor Mfd. Voltage:	15 MFD/370 Volt
Air Flow:	600 Cubic Feet per Minute
Fan Motor Quantity:	1
Pump Down Capacity:	7.0 Pounds
Design Pressure Low:	150
Design Pressure High:	450
Fan Motor RLA:	.7
Max. Fuse Size:	15
Min. Circuit Ampacity:	7.8
Fan Motor:	<input checked="" type="checkbox"/>
Receiver:	<input checked="" type="checkbox"/>

Replacement Parts

Are you a European Customer? Please use the TParts Finder Tool for the most accurate, up-to-date replacement parts information.

[Go TO TParts](#)

Run Cap Kit:	K150-03
Relay Kit:	K71-17
Overload Kit:	K90-20
Start Cap Kit:	K146-02
Compressor:	AK166ET-038-J7

Documents

[Sales Drawing \(EN\)](#)