



## Item Overview

Item#: 2B298-1 (**Inactive**)

Model: [AKA9433EXAXC](#)

Condensing Unit Type: Indoor - Air Cooled

Brand/Family: AK

Application: CBP - Commercial Back Pressure

Refrigerant: R-22

Voltage/Frequency: 115V ~ 60Hz

Compressor Type: Reciprocating

Coil Type: Tube - Fin

## Specifications

<b>Dimensions - Height:</b>	<b>10.9</b>
<b>Dimensions - Width:</b>	<b>14</b>
<b>Dimensions - Length:</b>	<b>17.4</b>
<b>Dimensions Unit of Measure:</b>	<b>IN</b>
<b>Discharge Line Size:</b>	<b>1/4 Inch Flare</b>
<b>Suction Line Size:</b>	<b>1/2 Inch Flare</b>
<b>Air Flow:</b>	<b>350 Cubic Feet per Minute</b>
<b>Fan Motor Quantity:</b>	<b>1</b>
<b>Pump Down Capacity:</b>	<b>3.4 Pounds</b>
<b>Design Pressure Low:</b>	<b>150</b>
<b>Design Pressure High:</b>	<b>450</b>
<b>Fan Motor RLA:</b>	<b>.53</b>
<b>Max. Fuse Size:</b>	<b>15</b>
<b>Min. Circuit Ampacity:</b>	<b>9.6</b>
<b>Fan Motor:</b>	<input checked="" type="checkbox"/>
<b>Receiver:</b>	<input checked="" type="checkbox"/>

## Replacement Parts

*Are you a European Customer? Please use the TParts Finder Tool for the most accurate, up-to-date replacement parts information.*

[Go TO TParts](#)

<b>Overload Kit:</b>	<b>K90-35</b>
<b>Start Cap Kit:</b>	<b>K146-25</b>

## Documents

[Technical Data Sheet \(EN\)](#)

[Sales Drawing \(EN\)](#)