



Item Overview

Item#: 2C232-9 (Inactive)

Model: [AKA9433EXXC](#)

Condensing Unit Type: Indoor - Air Cooled

Brand/Family: AK

Application: CBP - Commercial Back Pressure

Refrigerant: R-22

Voltage/Frequency: 115V ~ 60Hz

Compressor Type: Reciprocating

Coil Type: Tube - Fin

Specifications

Dimensions - Height:	11.2
Dimensions - Width:	13.9
Dimensions - Length:	17.3
Dimensions Unit of Measure:	IN
Discharge Line Size:	1/4 Inch Flare
Suction Line Size:	1/2 Inch Flare
Air Flow:	350 Cubic Feet per Minute
Fan Motor Quantity:	1
Pump Down Capacity:	3.4 Pounds
Design Pressure Low:	150
Design Pressure High:	450
Fan Motor RLA:	.53
Max. Fuse Size:	15
Min. Circuit Ampacity:	9.6
Fan Motor:	<input checked="" type="checkbox"/>
Receiver:	<input checked="" type="checkbox"/>

Replacement Parts

Are you a European Customer? Please use the TParts Finder Tool for the most accurate, up-to-date replacement parts information.

[Go TO TParts](#)

Start Cap Kit:	K146-25
Compressor:	AK164AT-038-J7
Overload Kit:	K90-35

Documents

[Technical Data Sheet \(EN\)](#)

[Sales Drawing \(EN\)](#)