



## Item Overview

Item#: 2G212-119

Model: [AKA9442ZAADJ](#)

Condensing Unit Type: Indoor - Air Cooled

Brand/Family: Celseon

Application: CBP - Commercial Back Pressure

Refrigerant: R-404A/R-407A/R-448A/R-449A/R-452A

Voltage/Frequency: 115V ~ 60Hz

Coil Type: Tube - Fin

## Specifications

Dimensions - Height:	12.1
Dimensions - Width:	14.3
Dimensions - Length:	20
Dimensions Unit of Measure:	IN
Discharge Line Size:	3/8 Inch Sweat
Suction Line Size:	5/8 Inch Sweat
Air Flow:	230 Cubic Feet per Minute
Fan Motor Quantity:	1
Pump Down Capacity:	2.7 Pounds
Design Pressure Low:	181
Design Pressure High:	450
Fan Motor RLA:	.85
Max. Fuse Size:	20
Min. Circuit Ampacity:	12.4
Fan Motor:	<input checked="" type="checkbox"/>
Dual Pressure Control:	<input checked="" type="checkbox"/>
Filter Drier:	<input checked="" type="checkbox"/>
Receiver:	<input checked="" type="checkbox"/>

## Replacement Parts

*Are you a European Customer? Please use the TParts Finder Tool for the most accurate, up-to-date replacement parts information.*

[Go TO TParts](#)

<b>Overload Kit:</b>	<b>K90-37</b>
<b>Relay Kit:</b>	<b>K71-02</b>
<b>Start Cap Kit:</b>	<b>K146-52</b>
<b>Compressor:</b>	<b>AK175AR-B37-J7</b>
<b>Condenser:</b>	<b>506-10008</b>
<b>Fan Motor:</b>	<b>810-10097C</b>
<b>Fan Blade:</b>	<b>515-10003</b>
<b>Dual Pressure Control:</b>	<b>14955206</b>
<b>Receiver:</b>	<b>510-10000</b>
<b>Shroud:</b>	<b>707-00005</b>

## Documents

[Sales Drawing \(EN\)](#)  
[Technical Data Sheet \(EN\)](#)