



Item Overview

Item#: 32B788-1 (Discontinued)

Model: [AKA9463ZXAXC](#)

Condensing Unit Type: Indoor - Air Cooled

Brand/Family: AK

Application: CBP - Commercial Back Pressure

Refrigerant: R-404A/R-407A/R-448A/R-449A/R-452A

Voltage/Frequency: 115V ~ 60Hz

Coil Type: Tube - Fin

Specifications

Dimensions - Height:	14
Dimensions - Width:	18
Dimensions - Length:	24.3
Dimensions Unit of Measure:	IN
Discharge Line Size:	3/8 in (9.52mm)
Suction Line Size:	1/2 in (12.7mm)
Run Capacitor Mfd. Voltage:	25 MFD/370 Volt
Air Flow:	600 Cubic Feet per Minute
Fan Motor Quantity:	1
Pump Down Capacity:	6 Pounds
Design Pressure Low:	181
Design Pressure High:	450
Fan Motor RLA:	2
Max. Fuse Size:	30
Min. Circuit Ampacity:	17.06
Fan Motor:	<input checked="" type="checkbox"/>
Receiver:	<input checked="" type="checkbox"/>

Replacement Parts

Are you a European Customer? Please use the TParts Finder Tool for the most accurate, up-to-date replacement parts information.

[Go TO TParts](#)

Run Cap Kit:	K150-07
Relay Kit:	K71-19
Start Cap Kit:	K146-15
Overload Kit:	K90-40
Compressor:	AK172AR-B38-J7
Condenser:	50802-6
Fan Motor:	810F050B62
Fan Blade:	51563
Receiver:	51081

Documents

[Technical Data Sheet \(EN\)](#)