



Item Overview

Item#: 32T238-1 (**Inactive**)

Model: [AKA4460YXAXC](#)

Condensing Unit Type: Indoor - Air Cooled

Brand/Family: AK

Application: HBP - High Back Pressure

Refrigerant: R-134a/R-513A

Voltage/Frequency: 115V ~ 60Hz

Compressor Type: Reciprocating

Coil Type: Tube - Fin

Specifications

Dimensions - Height:	10.9
Dimensions - Width:	14
Dimensions - Length:	17.4
Dimensions Unit of Measure:	IN
Discharge Line Size:	1/4 Inch Flare
Suction Line Size:	1/2 Inch Flare
Air Flow:	350 Cubic Feet per Minute
Fan Motor Quantity:	1
Pump Down Capacity:	N/A
Design Pressure Low:	150
Design Pressure High:	450
Fan Motor RLA:	.58
Max. Fuse Size:	20
Min. Circuit Ampacity:	12.46
Receiver:	<input checked="" type="checkbox"/>

Replacement Parts

Are you a European Customer? Please use the TParts Finder Tool for the most accurate, up-to-date replacement parts information.

[Go TO TParts](#)

Overload Kit:	K90-23
Start Cap Kit:	K146-25
Compressor:	AK168AT-038-J7
Potential Relay:	8200EMBJ97
Condenser:	50840-2
Receiver:	51080-1
Fan Motor:	810L009B96
Fan Blade:	4VEA006
Refrigerant Valve:	31582-3K

Documents

[Technical Data Sheet \(EN\)](#)