

This is an Inactive product and is no longer being manufactured. It may have inventory able to be purchased.



Model: AEA1343AAS (Inactive)

(AE1343AS)

Product Description

Compressor Type: Reciprocating

Application: LBP - Low Back Pressure

Refrigerant: R-12

Voltage/Frequency: 115V ~ 60Hz

Version: AE Series

Specifications

General

Evaporating Temp. Range :-34.4°C to -12.2°C (-30°F to 10°F)

Motor Torque: Low Start Torque (LST)

Compressor Cooling: Static

Mechanical

Weight: 9 KG

Displacement (cc): 5.47

Oil Type: Synthetic Alkylate

Viscosity (cSt): 32

Oil Charge (cc): 326

Electrical

Locked Rotor Amps (LRA): 16

Rated Load Amps (RLA 60Hz): 0

Voltage Range (60Hz): 90-127

Rated Load Amps (RLA 50Hz): 2.11

Max. Continuous Current (MCC in Amps): 0

Motor Resistance (Ohm) - Main: 3.67

Motor Resistance (Ohm) - Start: 13.94

Motor Type: RSIR

Performance

[See all performance data](#)

ASHRAE

Test Voltage	115V ~ 60HZ
(R) Refrigeration Capacity (BTU/h)	450
(R) Refrigeration Capacity (Kcal/h)	113
(R) Refrigeration Capacity (W)	132
Input Power (W)	155
(E) Efficiency (BTU/Wh)	2.9
(E) Efficiency (Kcal/Wh)	.73
(E) Efficiency (W/W)	.85
EVAP TEMP	
COND TEMP	
AMBIENT TEMP	
RETURN GAS	
LIQUID TEMP	

Item

10590397 (Inactive)