

This is an Inactive product and is no longer being manufactured. It may have inventory able to be purchased.



Model: AGA5561EXT (Inactive)

Product Description

Compressor Type: Reciprocating

Application: HBP/AC - Air Conditioning

Refrigerant: R-22/R-407C

Voltage/Frequency: 200-220V 3~ 50Hz / 200-230V 3~ 60Hz

Version: AG Series

Specifications

General

Evaporating Temp. Range :-23.3°C to 12.8°C (-10°F to 55°F)

Motor Torque: Low Start Torque (LST)

Compressor Cooling: Fan

Mechanical

Weight: 108 LB

Displacement (cc): 112.5

Oil Type: Polyolester

Viscosity (cSt): 32

Oil Charge (cc): 1955

Electrical

Locked Rotor Amps (LRA): 126

Rated Load Amps (RLA 60Hz): 18

Voltage Range (50Hz): 180-242

Voltage Range (60Hz): 180-254

Rated Load Amps (RLA 50Hz): 0

Max. Continuous Current (MCC in Amps): 29.2

Motor Resistance (Ohm) - Main: 0.658

Motor Type: 3PH

Agency Approval

cURus_RECOGNIZED

Performance

[See all performance data](#)

ASHRAE (R-22)

Test Voltage	220V 3~ 50HZ
(R) Refrigeration Capacity (BTU/h)	50700
(R) Refrigeration Capacity (Kcal/h)	12776
(R) Refrigeration Capacity (W)	14855
Input Power (W)	5400
(E) Efficiency (BTU/Wh)	9.39
(E) Efficiency (Kcal/Wh)	2.37
(E) Efficiency (W/W)	2.75
EVAP TEMP	7.2°C (45°F)
COND TEMP	54°C (130°F)
AMBIENT TEMP	35°C (95°F)
RETURN GAS	35°C (95°F)
LIQUID TEMP	46°C (115°F)

ASHRAE (R-22)

Test Voltage	230V 3~ 60HZ
(R) Refrigeration Capacity (BTU/h)	61000
(R) Refrigeration Capacity (Kcal/h)	15372
(R) Refrigeration Capacity (W)	17873
Input Power (W)	6300
(E) Efficiency (BTU/Wh)	9.68
(E) Efficiency (Kcal/Wh)	2.44
(E) Efficiency (W/W)	2.84
EVAP TEMP	7.2°C (45°F)
COND TEMP	54°C (130°F)
AMBIENT TEMP	35°C (95°F)
RETURN GAS	35°C (95°F)
LIQUID TEMP	46°C (115°F)

Item

AG133RH-003-J7 (Inactive)

AG133RT-003-A2 (Inactive)

AG133RT-003-A4 (Inactive)

AG133RT-003-B4 (Inactive)

AG133RT-003-J7 (Inactive)

AG133RT-003-M7 (Inactive)

AG133RT-003-S7 (Inactive)

AG133RT-016-A2 (Inactive)

AG133RT-016-A4 (Inactive)

AG133RT-016-J7 (Inactive)

AG133RT-016-P21 (Inactive)