



## **Model: AJ4519P-FZ3A**

(AJ4519P-FZ)

### **Product Description**

**Compressor Type:** Reciprocating

**Application:** HBP - High Back Pressure

**Refrigerant:** R-404A/R-448A/R-449A/R-452A/R-454C/R-455A

**Voltage/Frequency:** 220-240V ~ 50Hz

**Version:** AJ2 Series

# Specifications

## General

Evaporating Temp. Range :-15°C to 15°C (5°F to 59°F)

Motor Torque: High Start Torque (HST)

Compressor Cooling: Fan

## Mechanical

Displacement (cc): 34.45

Oil Type: Polyolester

Viscosity (cSt): 32

Oil Charge (cc): 475

## Electrical

Locked Rotor Amps (LRA): 48

Rated Load Amps (RLA 60Hz): 0

Voltage Range (50Hz): 198-253

Rated Load Amps (RLA 50Hz): 10.4

Max. Continuous Current (MCC in Amps): 16.3

Motor Resistance (Ohm) - Main: 1.28

Motor Resistance (Ohm) - Start: 5.93

Motor Type: CSR

## Agency Approval

VDE\_LISTED, CE\_LISTED, CCC\_LISTED, GOST\_LISTED

# Performance

[See all performance data](#)

## Item

**AJ4PR1JF606A04-M**

**AJ4PR1JF606A06**

**AJ4PR1JF606A06-M**

**AJ4PR1JF707A06**

**AJ4PR1JF707A06-M**

**AJ4PR1JF707A08**

**AJ4PR1JF707A08-M**

**AJ4PR1JF707A09-M**

**AJ4PR1JF707A66**

**AJ4PR1JF727A06**