



: AJA4492YXD ()

: Reciprocating

: HBP - High Back Pressure

: R-134a

: 200V ~ 50Hz / 208-230V ~ 60Hz

: AJ

: -6.7°C to 12.8°C (20°F to 55°F)

: High Start Torque (HST)

: Fan

: 50 LB

: 25.95

: Polyolester

: 32

: 782

: 41.8

: 7

: 180-220

: 187-254

: 0

: 10.1

: 1.62

: 11.58

: CSIR

,

ARI (R-513A)

230V ~ 60HZ

9063

2285

2656

1261

7.18

1.81

2.11

7.2°C (45°F)

54°C (130°F)

35°C (95°F)

18.3°C (65°F)

46°C (115°F)

ARI (R-134a)

230V ~ 60HZ

9000

2268

2637

1200

7.5

1.89

2.2

7.2°C (45°F)

54°C (130°F)

35°C (95°F)

18.3°C (65°F)

46°C (115°F)

AJ150GT-193-B4 ()

AJ150GT-205-B4 ()

AJ150GT-193-A2 ()

AJ150GT-193-A4 ()

AJ150GT-193-J7 ()

AJ150GT-193-P21 ()

AJ150GT-205-C4 ()

AJ150GT-205-C4Y ()

AJ150GT-205-D4 ()

AJ150GT-434-J7 ()

AJ150GT-434-M7 ()