

This is an Inactive product and is no longer being manufactured. It may have inventory able to be purchased.



## Item Overview

Item#: AK166ET-037-J7 (**Inactive**)

Model: [AKA9462EXD](#)

Type: Reciprocating

Version: AK Series

Application: CBP - Commercial Back Pressure

Refrigerant: R-22/R-407C

Voltage/Frequency: 200V ~ 50Hz / 208-230V ~ 60Hz

## Specifications

|                             |                                     |
|-----------------------------|-------------------------------------|
| Dimensions - Height:        | 8.921                               |
| Dimensions - Width:         | 7.298                               |
| Dimensions - Length:        | 10.579                              |
| Dimensions Unit of Measure: | IN                                  |
| Discharge Line Size:        | 1/4 in (6.35mm)                     |
| Suction Line Size:          | 3/8 in (9.52mm)                     |
| Overload Type:              | EXTERNAL                            |
| Overload:                   | <input checked="" type="checkbox"/> |
| Primary Relay:              | <input checked="" type="checkbox"/> |
| Terminal Cover:             | <input checked="" type="checkbox"/> |
| Capicitor Cabinet Assembly: | <input checked="" type="checkbox"/> |
| Run Capacitor:              | <input checked="" type="checkbox"/> |
| Start Capacitor:            | <input checked="" type="checkbox"/> |
| Grommet:                    | <input checked="" type="checkbox"/> |

## Replacement Parts

*Are you a European Customer? Please use the TParts Finder Tool for the most accurate, up-to-date replacement parts information.*

[Go TO TParts](#)

|                |            |
|----------------|------------|
| Run Cap Kit:   | K150-03    |
| Run Capacitor: | 85PR370E36 |
| Start Cap Kit: | K146-02    |
| Relay Kit:     | K71-17     |
| Overload Kit:  | K90-20     |

## Documents

[Sales Drawing \(EN\)](#)

[Electrical Diagram \(EN\)](#)