



Item Overview

Item#: AK176AR-A47-B4

Model: [AKA2425ZX](#)

Type: Reciprocating

Version: AK Series

Application: LBP - Low Back Pressure

Refrigerant: R-404A/R-407A/R-448A/R-449A/R-452A

Voltage/Frequency: 100V ~ 50Hz / 115V ~ 60Hz

Specifications

Discharge Line Size:	1/4 in (6.35mm)
Suction Line Size:	3/8 in (9.52mm)
Overload Type:	EXTERNAL
Overload:	<input checked="" type="checkbox"/>
Primary Relay:	<input checked="" type="checkbox"/>
Terminal Cover:	<input checked="" type="checkbox"/>
Capicitor Cabinet Assembly:	<input checked="" type="checkbox"/>
Run Capacitor:	<input checked="" type="checkbox"/>
Start Capacitor:	<input checked="" type="checkbox"/>
Grommet:	<input checked="" type="checkbox"/>

Replacement Parts

Are you a European Customer? Please use the TParts Finder Tool for the most accurate, up-to-date replacement parts information.

[Go TO TParts](#)

Start Cap Kit:	K146-42
Run Cap Kit:	K150-14
Relay Kit:	K71-43
Overload Kit:	K90-63

Documents

[Sales Drawing \(EN\)](#)

[Electrical Diagram \(EN\)](#)