

Model: TFH4525Y

(TFH4525YHR)

Product Description

Compressor Type: Reciprocating

Application: HBP - High Back Pressure

Refrigerant: R-134a

Voltage/Frequency: 400V 3~ 50Hz / 440V 3~ 60Hz

Version: AH Series

Specifications

General

- Evaporating Temp. Range :-15°C to 15°C (5°F to 59°F)
- Motor Torque: High Start Torque (HST)
- Compressor Cooling: Fan

Mechanical

- Weight: 32 KG
- Displacement (cc): 74.25
- Oil Type: Polyolester
- Viscosity (cSt): 32
- Oil Charge (cc): 1480

Electrical

- Locked Rotor Amps (LRA): 0
- Rated Load Amps (RLA 60Hz): 4
- Rated Load Amps (RLA 50Hz): 3.9
- Max. Continuous Current (MCC in Amps): 0
- Motor Resistance (Ohm) - Main: 6.28
- Motor Resistance (Ohm) - Start: 6.28
- Motor Type: 3PH

Agency Approval

VDE_LISTED, CE_LISTED, CCC_LISTED, IRAM_LISTED, GOST_LISTED, GOST_UKR_LISTED

Performance

[See all performance data](#)

Item

4566830208 (Inactive)