

This is an Inactive product and is no longer being manufactured. It may have inventory able to be purchased.

**Model: TSA1374YAS (Inactive)**

### Product Description

Compressor Type: Reciprocating

Application: LBP - Low Back Pressure

Refrigerant: R-134a

Voltage/Frequency: 115V ~ 60Hz

Version: TS Series

# Specifications

## General

**Evaporating Temp. Range** :-34.4°C to -12.2°C (-30°F to 10°F)

**Motor Torque:** Low Start Torque (LST)

**Compressor Cooling:** Fan

## Mechanical

**Weight:** 21 LB

**Displacement (cc):** 5.65

**Oil Charge (cc):** 0

## Electrical

**Locked Rotor Amps (LRA):** 17

**Rated Load Amps (RLA 60Hz):** 1.14

**Voltage Range (60Hz):** 103-127

**Rated Load Amps (RLA 50Hz):** 0

**Max. Continuous Current (MCC in Amps):** 0

**Motor Resistance (Ohm) - Main:** 4.29

**Motor Resistance (Ohm) - Start:** 6.06

**Motor Type:** PTCS\_CR

## Agency Approval

**cURus\_RECOGNIZED**

## Performance

[See all performance data](#)

### ASHRAE

|                                     |               |
|-------------------------------------|---------------|
| Test Voltage                        | 115V ~ 60HZ   |
| (R) Refrigeration Capacity (BTU/h)  | 720           |
| (R) Refrigeration Capacity (Kcal/h) | 181           |
| (R) Refrigeration Capacity (W)      | 211           |
| Input Power (W)                     | 130           |
| (E) Efficiency (BTU/Wh)             | 5.54          |
| (E) Efficiency (Kcal/Wh)            | 1.4           |
| (E) Efficiency (W/W)                | 1.62          |
| EVAP TEMP                           | -23°C (-10°F) |
| COND TEMP                           | 54°C (130°F)  |
| AMBIENT TEMP                        | 32°C (90°F)   |
| RETURN GAS                          | 32°C (90°F)   |
| LIQUID TEMP                         | 32°C (90°F)   |

## Item

14944631 (Inactive)

14944632 (Inactive)

TS106AS-221-A2KH (Inactive)

TS106AS221B8KH (Inactive)

TS106AS-221-B8KH (Inactive)

TS106AS232B655KF (Inactive)